


IP65 LED WALL WASHER LIGHT SERIES

BRT-WA-LW-18P-RGB

BRT-WA-LW-36P-RGB-1W

BRT-WA-LWW-36P-RGB-3W

BRT-WA-LWW-72P-RGB-3W

BRT-WA-LW-023-18W
BRT-WA-LW-024-36W
BRT-WA-LW-020-36W

BRT-WA-LW-005-36W

BRT-WA-LW-007-72W

BRT-WA-LW-009-144W

Model	LED Power (W)	Voltage (V)	LED Quantity	Light Color	Control Mode	Beam Angle	Projection Distance (Meter)	Dimension (mm)	SRP as of JUNE 2017
BRT-WA-LW-18P-RGB	18W	AC100-240V	18pcs. x 1W R6-G6-B6	PW WW R/G/B RGB	Independent or DMX Mode	15° 30°	5-12 M	D=170mm H=184mm	17,000.00
BRT-WA-LW-36P-RGB-1W	36W		36pcs. x 1W R12-G12-B12				5-15 M	D=210mm H=192mm	20,500.00
BRT-WA-LWW-36P-RGB-3W	36W	AC100-240V	36pcs. x 1W R12-G12-B12	PW WW R/G/B RGB	Independent Master / Slave / DMX Mode Available	15° 30° 45°	8-15 M	L=270mm W=320mm H=303mm	47,000.00
BRT-WA-LWW-72P-RGB-3W	72W		72pcs x 1W R24-G24-B24				10-20 M	L=400mm W=320mm H=303mm	65,500.00
BRT-WA-LW-023-18W	18W	AC100-240V	12pcs. x 1W R6-G6-B6	PW WW R/G/B RGB	Independent or DMX Mode Available	25°	4-8 M	L580 x W76 H163mm	14,800.00
BRT-WA-LW-024-36W BRT-WA-LW-020-36W	36W		24pcs. x 1W R12-G12-B12				10-15 M	L1240 x W76 H163mm	22,500.00
BRT-WA-LW-007-72W	36W	AC100-240V	36pcs x 1W R12-G12-B12	PW WW R/G/B RGB	Independent or DMX 512 6CH Available	10° 20° 45°	10-20 M	L334 x W150 H172mm	21,500.00
BRT-WA-LW-007-72W	72W		72pcs x 1W R24-G24-B24				15-25 M	L636 x W150 H172mm	36,000.00
BRT-WA-LW-008-144W	144W		144pcs x 1W R48-G48-B48				20-40 M	L1240 x W150 H172MM	62,000.00

Prices are subject to change without prior notice.



LED INGROUND AND GARDEN LIGHT SERIES



BRT-LUL-A-1P-S
BRT-LUL-A-3P-RGB



BRT-UG-LUL-B-3P-S



BRT-UG-LUL-B-9P-RGB



BRT-UG-LUL-C-6P-S



BRT-UG-LUL-C-18P-RGB



BRT-SP-A-1P-S-Spike
BRT-SP-A-3P-RGB-Spike



BRT-SP-B-3P-S
BRT-SP-B-9P-RGB



BRT-SP-B-3P-S-Spike
BRT-SP-B-9P-RGB-Spike



BRT-SP-C-6P-S
BRT-SP-C-18P-RGB



BRT-SP-C-6P-S-Spike
BRT-SP-C-18P-RGB-Spike

Model	LED Power	Working Voltage	LED Qty.	LED Chip Type / Brand	Color Temp.	Beam Angle	IP Grade	SIZE	Materials	SRP as of JUNE 2017 (2Yr. Warranty)	MOQ
BRT-UG-LUL-A-1P-S	3W	DC12V	1pc	HPLED BRIDGELUX	PWMWW R/G/B/Y	15° 20° 45°	IP65	D=60mm H=83mm	Aluminum Alloy + Toughen Glass	2,300.00	10pcs
BRT-UG-LUL-A-3P-RGB	3W	DC12V	1pc (3in1)	HPLED BRIDGELUX	RGB					2,750.00	10pcs
BRT-UG-LUL-B-3P-S	3W	DC24V	3pcs	HPLED BRIDGELUX	PWMWW R/G/B/Y	20°/30° 40°	IP65	D=125mm H=66mm	Aluminum Alloy + Toughen Glass	5,250.00	10pcs
BRT-UG-LUL-B-9P-RGB	9W	DC24V	9pcs	HPLED BRIDGELUX	RGB					6,300.00	10pcs
BRT-UG-LUL-C-6P-S	18W	DC24V	6pcs (x 3W)	HPLED BRIDGELUX	PWMWW R/G/B/Y	20°/30° 40°	IP65	D=145mm H=73mm	Aluminum Alloy + Toughen Glass	6,950.00	5pcs
BRT-UG-LUL-C-18P-RGB	18W	DC24V	18pcs	HPLED BRIDGELUX	RGB					8,750.00	5pcs
BRT-SP-A-1P-S-SPIKE	3W	DC12V	1pc	HPLED BRIDGELUX	R/G/B/Y/W	15°/30° 45°	IP65	D=42mm H=288mm	Aluminum Alloy + Toughen Glass	2,250.00	10pcs
BRT-SP-A-3P-RGB-SPIKE	3W	DC12V	1pc	HPLED BRIDGELUX	RGB					2,550.00	10pcs
BRT-SP-B-3P-S	9W	DC24V	3pcs	HPLED BRIDGELUX	R/G/B/Y/W	20°/30° 40°	IP65	D=100mm H=138mm	Aluminum Alloy + Toughen Glass	4,150.00	10pcs
BRT-SP-B-9P-RGB	9W	DC24V	9pcs	HPLED BRIDGELUX	RGB	15°/25° 40°				4,750.00	10pcs
BRT-SP-B-3P-S-Spike	9W	DC24V	3pcs	HPLED BRIDGELUX	R/G/B/Y/W	20°/30° 40°	IP65	D=100mm H=307mm	Aluminum Alloy + Toughen Glass	4,350.00	10pcs
BRT-SP-B-3P-RGB-Spike	9W	DC24V	9pcs	HPLED BRIDGELUX	RGB	15°/25° 40°				4,950.00	10pcs
BRT-SP-C-6P-S-Spike	18W	DC24V	6pcs	HPLED BRIDGELUX	R/G/B/Y/W	20°/30° 40°	IP65	D=120mm H=323mm	Aluminum Alloy + Toughen Glass	5,550.00	10pcs
BRT-SP-C-18P-RGB-Spike	18W	DC24V	18pcs	HPLED BRIDGELUX	RGB	15°/25° 40°				7,150.00	10pcs

Prices are subject to change without prior notice.



LED UNDERWATER, FOUNTAIN AND PAR56 POOL LIGHT SERIES



BRT-LPL-6A-18P-RGB




BRT-LPL-6B-36P-RGB



BRT-LPL-PAR56B-18P-S



BRT-LPL-PAR56B-18P-SW-RGB



BRT-LPL-GM1-9P-S
BRT-LPL-GM1-9P-RGB



BRT-LPL-GM2-12P-S
BRT-LPL-GM2-12P-RGB



BRT-LPL-GM3-6P-S
BRT-LPL-GM3-6P-RGB



BRT-LPL-PAR56-18P-S



BRT-LPL-PAR56-18P-RGB



HOUSING ONLY

Model	LED Power	Working Voltage	LED Qty.	LED Chip Type / Brand	Color Temp.	Beam Angle	IP Grade	SIZE	Materials	SRP as of JUNE 2017 (2Yr. Warranty)	MOQ
BRT-LPL-6A-18P-RGB	18W	DC24V	18pcs R6/G6/B6	HPLED BRIDGELUX	RGB	20°/30° 40°	IP68	D-170mm H-181mm	Aluminum + Toughen Glass	9,950.00	4pcs
BRT-LPL-6B-36P-RGB	36W	DC24V	36pcs R12/G12 B12	HPLED BRIDGELUX	RGB	20°/30° 40°	IP68	D-210mm H-194mm	Aluminum + Toughen Glass	14,400.00	4pcs
BRT-LPL-PAR56B-18P-S	18W	AC12V	18pcs.	HPLED BRIDGELUX	R/G/B/Y/W	25°	IP68	Φ180mm H=105mm	ABC + Aluminum + Toughen Glass	8,100.00	20pcs
BRT-LPL-PAR56B-18P-SW-RGB	18W	AC12V	18pcs R6/G6/B6	HPLED BRIDGELUX	RGB	25°	IP68	Φ180mm H=105mm	ABC + Aluminum + Toughen Glass	8,300.00	20pcs
BRT-LPL-GM1-9P-S	21W	DC24V	9pcs	HPLED BRIDGELUX	R/G/B/Y/W	25°	IP68	D-200mm H-75mm	Stainless steel + toughen glass	22,850.00	5pcs
BRT-LPL-GM1-9P-RGB	21W	DC24V	9pcs	HPLED BRIDGELUX	RGB	25°	IP68	D-200mm H-75mm	Stainless steel + toughen glass	25,750.00	5pcs
BRT-LPL-GM2-12P-S	29W	DC24V	12pcs	HPLED EPISTAR	R/G/B/Y/W	25°	IP68	D-170mm H-100mm	Stainless steel + toughen glass	30,600.00	5pcs
BRT-LPL-GM2-12P-RGB	29W	DC24V	12pcs	HPLED EPISTAR	RGB	25°	IP68	D-170mm H-100mm	Stainless steel + toughen glass	15,800.00	5pcs
BRT-LPL-GM3-6P-S	12W	DC24V	6pcs	HPLED BRIDGELUX	R/G/B/Y/W	30°	IP68	L=211mm W=60mm H=65mm	Aluminum + Toughen Glass	21,150.00	5pcs
BRT-LPL-GM3-6P-RGB	12W	DC24V	6pcs	HPLED BRIDGELUX	RGB	30°	IP68	L=211mm W=60mm H=65mm	Aluminum + Toughen Glass	21,600.00	5pcs
BRT-LPL-PAR56-18P-S	18W	AC12V	18pcs.	HPLED BRIDGELUX	R/G/B/Y/W	15°/30°	IP68	Φ180mm H=80mm	Stainless steel + toughen glass	7,200.00	18pcs
BRT-LPL-PAR56-18P-RGB	18W	AC12V	18pcs R6/G6/B6	HPLED BRIDGELUX	RGB	15°/30°	IP68	Φ180mm H=80mm	Stainless steel + toughen glass	7,600.00	18pcs
BSP-PAR56-HOUSING		Housing only for UW-PAR56 pool light only.					IP68	D-280mm H-160mm	PC Body + 1.5m Cable	5,000.00	- - -

Prices are subject to change without prior notice.



Model	Output Voltage	Rated Current	Rated Power	Input Voltage	Frequency Range	Power Factor	IP Grade	SIZE	SRP as of MAY 2015
CLG-60-12	12VDC	5A	60W	90~295VAC	47 ~ 63Hz	PF>0.9	IP67	195 * 62 * 39	4,650.00
CLG-60-24	24VDC	2.5A	60W	90~295VAC	47 ~ 63Hz	PF>0.9	IP67	195 * 62 * 39	4,650.00
CLG-100-12	12VDC	5.00A	100W	90~295VAC	47 ~ 63Hz	PF>0.9	IP67	222.2x 68x 38.8 mm	5,450.00
CLG-100-24	24VDC	4.00A	100W	90~295VAC	47 ~ 63Hz	PF>0.9	IP67	222.2x 68x 38.8 mm	5,450.00
CLG-150-12	12VDC	11.0A	150W	90~295VAC	47 ~ 63Hz	PF>0.9	IP67	229x 68x 38.8 mm	5,850.00
CLG-150-24	24VDC	6.30A	150W	90~295VAC	47 ~ 63Hz	PF>0.9	IP67	229x 68x 38.8 mm	5,850.00
HLG-40-12	12VDC	3.3A	40W	90~305VAC	47 ~ 63Hz	PF>0.9	IP67	171x 61.5x 36.8 mm	4,300.00
HLG-40-24	24VDC	1.67A	40W	90~305VAC	47 ~ 63Hz	PF>0.9	IP67	171x 61.5x 36.8 mm	4,300.00
HLG-60-12	12VDC	5.0A	60W	90~305VAC	47 ~ 63Hz	PF>0.9	IP67	171x 61.5x 36.8 mm	4,550.00
HLG-60-24	24VDC	2.50A	60W	90~305VAC	47 ~ 63Hz	PF>0.9	IP67	171x 61.5x 36.8 mm	4,550.00
HLG-80-12	12VDC	5.0A	80W	90~305VAC	47 ~ 63Hz	PF>0.9	IP67	195.6x 61.5x 38.8 mm	5,300.00
HLG-80-24	24VDC	3.4A	80W	90~305VAC	47 ~ 63Hz	PF>0.9	IP67	195.6x 61.5x 38.8 mm	5,350.00
HLG-100-12	12VDC	8.0A	100W	90~305VAC	47 ~ 63Hz	PF>0.9	IP67	220x 68x 38.8 mm	6,350.00
HLG-100-24	24VDC	4.0A	100W	90~305VAC	47 ~ 63Hz	PF>0.9	IP67	220x 68x 38.8 mm	6,300.00
HLG-120-12	12VDC	10A	120W	90~305VAC	47 ~ 63Hz	PF>0.9	IP67	220x 68x 38.8 mm	6,500.00
HLG-120-24	24VDC	5.0A	120W	90~305VAC	47 ~ 63Hz	PF>0.9	IP67	220x 68x 38.8 mm	6,500.00
HLG-150-12	12VDC	12.5A	150W	90~305VAC	47 ~ 63Hz	PF>0.9	IP67	228x 68x 38.8 mm	6,700.00
HLG-150-24	24VDC	6.3A	150W	90~305VAC	47 ~ 63Hz	PF>0.9	IP67	228x 68x 38.8 mm	6,700.00
HLG-185-12	12VDC	13.0A	185W	90~305VAC	47 ~ 63Hz	PF>0.9	IP67	228x 68x 38.8 mm	7,050.00
HLG-185-24	24VDC	7.80A	185W	90~305VAC	47 ~ 63Hz	PF>0.9	IP67	228x 68x 38.8 mm	7,050.00
HLG-240-12	12VDC	16.0A	240W	90~305VAC	47 ~ 63Hz	PF>0.9	IP67	251x 68x 38.8 mm	8,000.00
HLG-240-24	24VDC	10.0A	240W	90~305VAC	47 ~ 63Hz	PF>0.9	IP67	251x 68x 38.8 mm	8,000.00

Prices are subject to change without prior notice.